
### **EDGE PROTECTION RANGE**



OUR RANGE OF EDGE PROTECTION SAFETY EQUIPMENT HAS BEEN DEVELOPED IN RESPONSE TO THE ONGOING INDUSTRY DEMANDS FOR SAFE ACCESS IN ALL SHORING APPLICATIONS. IT IS COMPATIBLE WITH ALL SHORE HIRE BOXES AND TRENCH SHEET SYSTEMS.

#### **EDGE SAFE HANDRAIL SYSTEM**

- Compliant with Australian Standards AS 4994.1
  Temporary edge protection
- · Lightweight steel handrail system
- Compatible with all Shore Hire shoring systems, Ladder Safe Platforms, and Davit Arm / Fall Arrest Systems
- · Mechanically fixed to the shoring system
- · 3 rail system including provision for a toe board

#### **LADDER SAFE PLATFORM**

- Innovative and robust access platform for use with our Edge Safe Handrail System
- · Self-closing and locking gate
- · Ladder pole to secure the ladder
- Compatible with Shore Hire Shoring Boxes and Trench Sheet systems
- · Easy to secure to shoring

#### **ACCESS RAMP**

- Pivot connection can be ramped to 30° incline or decline
- · Complete with handrail
- · Lightweight and easy to install





## **EDGE PROTECTION RANGE**



#### **DAVIT SAFE/FALL ARREST**

- Compatible with Shore Hire Shoring Boxes, Trench Sheet, Sheet Pile, and M.A.P.S Systems
- Is used as personnel fall arrest protection to hoist personnel in rescue situations
- Can be used in conjunction with our Edge Safe and Ladder Safe Range
- Compliant to Australian Standard AS 1891.4:2009 Industrial fall-arrest systems and devices – Selection, use and maintenance
- · 136kg load capacity winch
- · 24m cable length



#### **LADDERS**

- To be used in conjunction with our Edge Protection and Ladder Safe Range
- A selection of commercially available ladders come in a range of lengths



#### **VERTICAL ACCESS PLATFORM**

- To be used with Shore Hire's range of shoring products as a vertical entry platform instead of angled
- We also have an option for use with Shore Hire's range of Hydraulic Bracing Systems

## **EDGE PROTECTION RANGE**

#### **STAIR ACCESS PLATFORM**


- Required for securing self-levelling stairs, via a ladder deck into your excavation
- · Innovative and robust access platform
- · Compatible with Shore Hire shoring systems
- · Easy to secure to shoring
- Extends off the ladder and safely allows stairs to be connected



#### **EDGE PROTECTION FOR SHEET PILES**

Shore Hire also offer a range of custom manufactured edge protection options for our Sheet Pile and Bracing Range such as:

- · Rotational handrail feet
- · Sheet pile davit arm mounts
- · Sheet pile ladder deck mounts
- With more options in production, please speak to the team to find a solution to suit



### **SELF-LEVELLING STAIR**

- · Adjustable, aluminium safety stair
- Safe, fast, and easy access between floors, decks, and in trenches
- · Folds flat for easy storage
- · Durable and built to last
- · Treads self-level to suit any height
- · 90-degree top fixing bracket
- Folding handrails
- Large support foot
- · Anti-slip self-levelling stair treads



SELF-LEVELLING STAIR			
Width	Weight	Range	Steps
650mm	50kg	600-1400mm	6
650mm	60kg	1290-2100mm	9
650mm	110kg	1800-2750mm	12
650mm	130kg	2600-3400mm	15
650mm	155kg	3300-4100mm	18

# **LIFTING CHAINS**



#### **LIFTING CHAINS**

A comprehensive range of chains and associated products are available in appropriate lengths and capacities to suit all Shore Hire products.

All assemblies feature certified components and are subject to Shore Hire's standard quality checks to ensure conformity and compliance with Australian Standards.

We carry a range of 8mm, 10mm, and 13mm chains available in 4-leg, 2-leg, and single-leg configurations. All chains come in a range of rated capacities, feature safety and shortening hooks, and are supplied with specification tags.

