
## **EDGE PROTECTION RANGE**



OUR RANGE OF EDGE PROTECTION SAFETY EQUIPMENT HAS BEEN DEVELOPED IN RESPONSE TO THE ONGOING INDUSTRY DEMANDS FOR SAFE ACCESS IN ALL SHORING APPLICATIONS AND ARE COMPATIBLE WITH ALL SHORE HIRE BOXES AND TRENCH SHEET SYSTEMS.

#### **EDGE SAFE HANDRAIL SYSTEM**

- Compliant with Australian Standards AS 4994.1
  Temporary edge protection
- · Lightweight steel handrail system
- Compatible with all Shore Hire shoring systems, Ladder Safe & Davit Safe
- · Mechanically fixed to the shoring system
- 3 rail system including provision for a toe board

#### **LADDER SAFE PLATFORM**

- Innovative and robust access platform for use with Shore Hire Edge Safe Handrail System
- · Self closing and locking gate
- · Ladder pole to secure ladder
- Compatible with Shore Hire Shoring Boxes and Trench Sheet systems
- · Easy to secure to shoring

#### **ACCESS RAMP**

- Pivot connection can be ramped to 30° incline or decline
- · Complete with handrail
- · Lightweight and easy to install





# **EDGE PROTECTION RANGE**



### **DAVIT SAFE/FALL ARREST**

- Compatible with Shore Hire Shoring Boxes,
  Trench Sheet, Sheet Pile and M.A.P.S Systems
- Personnel hoisting for rescue situations
- Can be used in conjunction with Edge Safe and Ladder Safe
- Personnel fall arrest protection

- Compliant to Australian Standard AS 1891.4:2009
  Industrial fall-arrest systems and devices Selection, use and maintenance
- 136kg load capacity winch
- 24m cable length



#### **LADDERS**

- To be used in conjunction with Edge Safe and Ladder Safe
- A selection of commercially available ladders come in a range of lengths (Sale only item)

# **EDGE PROTECTION RANGE**



### **STAIR ACCESS PLATFORM**

- Required for securing self-levelling stair, via ladder deck into your excavation
- Innovative and robust access platform
- Compatible with Shore Hire shoring systems
- · Easy to secure to shoring
- Extends off ladder and safe to allow connection of stairs

## **SELF-LEVELLING STAIR**

- Adjustable aluminium safety stair
- Safe, fast, easy access between floors, decks and in trenches
- · Folds flat for easy storage
- Durable built to last
- · Treads self level to suit any height
- 90 degree top fixing bracket
- Folding handrails
- Large support foot
- Anti-slip self-levelling stair treads



SELF-LEVELLING STAIR			
Width (mm)	Weight (kg)	Range (mm)	Steps
650	50	600-1400	6
650	60	1290-2100	9
650	110	1800-2750	12
650	130	2600-3400	15
650	155	3300-4100	18

# **LIFTING CHAINS**



### **LIFTING CHAINS**

A comprehensive range of chains and associated products are available in appropriate lengths and capacities to suit all Shore Hire products.

All assemblies feature certified components and are subject to Shore Hire's standard quality checks to ensure conformity and compliance with Australian Standards.

We carry a range of 8mm, 10mm and 13mm chains which are available in 4-leg, 2-leg and single leg configurations. All chains come in a range of rated capacities that all feature safety hooks and shortening hooks. All chains are supplied with specification tags.

